

Bid Items Application Update to Bid Item Listings -- June 1, 2015

Iowa Department of Transportation -- Office of Contracts

+++++
Bid items for Bid Items Application have been updated.

- Beginning on page 2 is a summary of the updates to the bid item files.
- New items are effective immediately unless otherwise noted.
- Use of new items on projects let before the effective date will not be permitted.
- FYI: 'Spec' changes to existing bid items are not included in this notification.

+++++
Specifications for most bid items consist of five parts: 1) Description, 2) Materials, 3) Construction, 4) Method of Measurement, and 5) Basis of Payment. The Spec Codes defined below, and shown in the online English Bid Item Description Book and Metric Bid Item Description Book, are used to identify a source(s) where typical specs for the bid item located. The specific source will depend on the actual use and application of the bid item.

The policy of the Office of Contracts is that the designer of the projects let through the Iowa D.O.T. letting system ensures that all bid items have complete specifications.

Special attention is directed to the codes STD6, SP2, and PLAN that may use or need multiple sources. For many bid items with those codes, additional information is required. This could include entire specifications (all five parts) for a bid item, or modifications/changes/additional requirements to one or more parts of an existing specification. For most of those bid items, the specs could be included in the Item Reference Information or General Notes of the project plan. The designer is encouraged to use the Standard Specifications, Supplemental Specifications, etc. as resources for the proper language for any of the five spec portions for similar bid items.

Spec Code	Spec Source
STD	Standard Specifications - including General Supplemental Specifications
STD2	Standard Specifications - including applicable Supplemental Specifications
STD3	Standard Specifications - including applicable Supplemental Specifications or Standard Road Plans
STD4	Standard Specifications - including applicable Standard Bridge Plans
STD5	Standard Specifications - including applicable Standard Road Plans
STD6	Standard Specifications - including applicable Special Provisions or Project Plan
DS	Developmental Specifications
SS	Supplemental Specifications
SS2	Supplemental Specifications or Project Plan
SP	Special Provisions
SP2	Special Provisions or Project Plan
SBP	Standard Bridge Plans
SRP	Standard Road Plans
PLAN	Project Plan
PROP	Proposal Form

Bid Items Application Update to Bid Item Listings -- June 1, 2015

ENGLISH ITEMS

The following items have been added to the valid bid item description listing:

Effect Dt	Item Code	Description	Unit	Spec
-----	-----	-----	----	----
The following bid items were added based on the needs of Designers for upcoming projects.				
Aug 2015	2413-1300000	PREFORMED, PRE-COMPRESSED, SELF-EXPANDING, SEALANT SYSTEM WITH SILICONE PRE-COATED SURFACE	LF	PLAN
Aug 2015	2505-6001012	LINE POST, REPLACE	EACH	SP
Aug 2015	2505-6001014	LINE POST FOUNDATION, REPLACE	EACH	SP
Aug 2015	2505-6001030	TURNBUCKLE, REPLACE	EACH	SP
Aug 2015	2505-6001040	HIGH TENSION CABLE GUARDRAIL, REPLACE	LF	SP
Aug 2015	2602-0000130	TEMPORARY SEDIMENT CONTROL BASIN	EACH	PLAN
Aug 2015	2602-0000140	MAINTENANCE OF TEMPORARY SEDIMENT CONTROL BASIN	EACH	PLAN
Aug 2015	2602-0000150	STABILIZED CONSTRUCTION ENTRANCE	LF	PLAN

The following bid items are to be added by the next General Supplemental Specifications.

Oct 2015	2416-1160015	CULVERT, CONCRETE ENTRANCE PIPE, 15 IN. DIA.	LF	STD
Oct 2015	2416-1165015	CULVERT, 2000D CONCRETE ENTRANCE PIPE, 15 IN. DIA.	LF	STD
Oct 2015	2416-1170015	CULVERT, 3000D CONCRETE ENTRANCE PIPE, 15 IN. DIA.	LF	STD
Oct 2015	2416-1190215	CULVERT, LOW CLEARANCE CONCRETE ENTRANCE PIPE, EQUIVALENT DIAMETER 15 IN.	LF	STD
Oct 2015	2416-1192215	CULVERT, 2000D LOW CLEARANCE CONCRETE ENTRANCE PIPE, EQUIVALENT DIAMETER 15 IN.	LF	STD
Oct 2015	2416-1193215	CULVERT, 3000D LOW CLEARANCE CONCRETE ENTRANCE PIPE, EQUIVALENT DIAMETER 15 IN.	LF	STD
Oct 2015	2417-1040015	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 15 IN. DIA.	LF	STD
Oct 2015	2417-1130015	CULVERT, CORRUGATED POLYETHYLENE ENTRANCE PIPE, 15 IN.	LF	STD
Oct 2015	2422-1722015	CULVERT, UNCLASSIFIED ENTRANCE PIPE, 15 IN. DIA.	LF	STD
Oct 2015	2503-0116315	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 15 IN.	LF	STD
Oct 2015	2503-0116318	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 18 IN.	LF	STD
Oct 2015	2503-0116324	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 24 IN.	LF	STD
Oct 2015	2503-0116330	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 30 IN.	LF	STD
Oct 2015	2503-0116336	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 36 IN.	LF	STD
Oct 2015	2503-0116342	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 42 IN.	LF	STD
Oct 2015	2503-0116348	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 48 IN.	LF	STD
Oct 2015	2503-0116354	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 54 IN.	LF	STD
Oct 2015	2503-0116360	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 60 IN.	LF	STD
Oct 2015	2503-0116372	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 72 IN.	LF	STD
Oct 2015	2503-0116384	STORM SEWER GRAVITY MAIN, TRENCHED, 2000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 84 IN.	LF	STD
Oct 2015	2503-0116515	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 15 IN.	LF	STD
Oct 2015	2503-0116518	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 18 IN.	LF	STD
Oct 2015	2503-0116524	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 24 IN.	LF	STD
Oct 2015	2503-0116530	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 30 IN.	LF	STD
Oct 2015	2503-0116536	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 36 IN.	LF	STD
Oct 2015	2503-0116542	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 42 IN.	LF	STD
Oct 2015	2503-0116548	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 48 IN.	LF	STD
Oct 2015	2503-0116554	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 54 IN.	LF	STD
Oct 2015	2503-0116560	STORM SEWER GRAVITY MAIN, TRENCHED, 3000D LOW CLEARANCE CONCRETE PIPE, EQUIVALENT DIAMETER 60 IN.	LF	STD

[illegible]

Bid Items Application Update to Bid Item Listings -- June 1, 2015

Oct 2015	2504-0125015	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, POLYPROPYLENE (PP) PIPE, 15 IN.	LF	STD
Oct 2015	2504-0125018	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, POLYPROPYLENE (PP) PIPE, 18 IN.	LF	STD
Oct 2015	2504-0125021	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, POLYPROPYLENE (PP) PIPE, 21 IN.	LF	STD
Oct 2015	2504-0125024	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, POLYPROPYLENE (PP) PIPE, 24 IN.	LF	STD
Oct 2015	2504-0125030	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, POLYPROPYLENE (PP) PIPE, 30 IN.	LF	STD
Oct 2015	2504-0125036	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, POLYPROPYLENE (PP) PIPE, 36 IN.	LF	STD

+++++

METRIC ITEMS

The following items have been added to the valid bid item description listing:

Effect Dt	Item Code	Description	Unit	Spec
-----	-----	-----	----	----

Metric items have not been updated as all metric items will become obsolete in October 2015 and no metric projects are currently in development.

+++++